

Skid Steer Inspection Checklist: SSL Daily Walk

Blank copy

Machine and operator

DATE	SHIFT START TIME
OPERATOR NAME	EMPLOYEE / BADGE NO.
UNIT NUMBER	SERIAL NUMBER
MAKE / MODEL	UNDERCARRIAGE
HOUR METER	JOBSITE / LOCATION
SHIFT	ATTACHMENT IN USE
RATED OPERATING CAPACITY (FROM PLATE)	☐ I am trained on this make and model and have read the operator's manual for this unit.

Operator protection and interlocks

Item	OK	Defect	N/A	Notes
ROPS structure and mounts	☐	☐	☐	
FOPS / overhead falling-object protection	☐	☐	☐	
ROPS identification label	☐	☐	☐	
Side screens	☐	☐	☐	
Seat belt, buckle, and mount	☐	☐	☐	
Seat bar / restraint bar	☐	☐	☐	
Seat-presence interlock	☐	☐	☐	
Seat-belt interlock	☐	☐	☐	
Control interlock (hydraulics, travel, park brake)	☐	☐	☐	
Loader control lock	☐	☐	☐	
Park brake switch and park brake	☐	☐	☐	
Rear window / emergency exit	☐	☐	☐	
Steps, grab bars, and handholds	☐	☐	☐	
Cab glass, door, and door interlock	☐	☐	☐	
Operator compartment and foot controls	☐	☐	☐	
Operator's manual and safety labels	☐	☐	☐	

Loader arms, coupler, and attachment

Item	OK	Defect	N/A	Notes
Loader arms / boom	☐	☐	☐	
Lift-arm and pivot pins	☐	☐	☐	
Lift and tilt cylinders	☐	☐	☐	
Attachment coupler / quick coupler	☐	☐	☐	
Coupler pins fully engaged	☐	☐	☐	
Attachment (bucket or work tool)	☐	☐	☐	
Auxiliary hydraulic lines and couplers	☐	☐	☐	
Lift-arm support device	☐	☐	☐	
Boom lock (if equipped)	☐	☐	☐	
Cylinder guards and shields	☐	☐	☐	
Loose hardware on loader and coupler	☐	☐	☐	

Powertrain, hydraulics, brakes, and controls

Item	OK	Defect	N/A	Notes
Engine oil	☐	☐	☐	
Hydraulic oil	☐	☐	☐	
Engine coolant	☐	☐	☐	
Fuel	☐	☐	☐	
Hydrostatic, chain-case, or transmission oil	☐	☐	☐	
DEF (if equipped)	☐	☐	☐	
Hoses, belts, and fittings	☐	☐	☐	
Leaks under the machine	☐	☐	☐	
Radiator / cooler cores and debris	☐	☐	☐	
Battery, cables, and mounts	☐	☐	☐	
Air cleaner / restriction indicator	☐	☐	☐	
Gauges, warning lights, and diagnostic codes	☐	☐	☐	
Service brakes	☐	☐	☐	
Parking brake hold	☐	☐	☐	
Steering / hydrostatic drive	☐	☐	☐	
Horn	☐	☐	☐	

Operating controls (travel, lift, tilt)

☐☐☐

Tires or tracks

Item	OK	Defect	N/A	Notes
Tires (wheeled SSL)	☐	☐	☐	
Tire pressure vs placard	☐	☐	☐	
Wheels, rims, and lug nuts	☐	☐	☐	
Tracks (compact track loader)	☐	☐	☐	
Track tension, rollers, and idlers (CTL)	☐	☐	☐	
Frame / undercarriage	☐	☐	☐	
Wheel locks / spacers (if equipped)	☐	☐	☐	

Lights, alarms, and work area

Item	OK	Defect	N/A	Notes
Work area and bystanders	☐	☐	☐	
Ground, grade, and overhead clearance	☐	☐	☐	
Attachment on the ground before entry and exit	☐	☐	☐	
Work lights, headlights, and taillights	☐	☐	☐	
Reverse signal / backup alarm	☐	☐	☐	
Mirrors and rear camera	☐	☐	☐	
Wipers and defroster (enclosed cab)	☐	☐	☐	
Fire extinguisher	☐	☐	☐	
Beacon / strobe (if required)	☐	☐	☐	
Abnormal noise or vibration	☐	☐	☐	

Defects and sign-off

DEFECTS FOUND

ACTION TAKEN

DEFECTS REPORTED TO

☐ Safety systems were not bypassed, and this machine is in safe operating condition for this shift (or it is tagged out above).

OPERATOR SIGNATURE

SUPERVISOR SIGNATURE (IF REQUIRED)

TIME SIGNED

OTHER COMMENTS

Reference only. Verify against the vehicle OEM procedure and applicable regulations.